AMENDMENTS TO THE CLAIMS

Docket No.: 22193-00027-US1

1. (Original) A method of making a fruit pastry in the form of a bar, the method being characterized in that it comprises the steps consisting in:

lining a mold of elongate shape and substantially U-shaped section with a pastry dough covering the bottom of the mold and its side walls over a fraction only of their height up from the bottom;

pouring a confectioner's mix onto the dough;

covering the dough and the confectioner's mix with a trimming of fruit or pieces of fruit mixed with a gelling composition by pouring the trimming into the mold up to the top thereof; and

baking the pastry and the covered confectioner's mix in the mold.

- 2. (Original) A method according to claim 1, characterized in that a confectioner's mix is used selected from an almond cream and a confectionery filling.
- 3. (Currently Amended) A method according to claim 1 or claim 2, characterized in that a gelling composition is used that contains brown sugar.
- 4. (Currently Amended) A method according to any one of claims 1 to 3 claim 1, characterized in that a gelling composition is used that contains a gelling ingredient.
- 5. (Currently Amended) A method according to any one of claims 1 to 4 claim 1, characterized in that a single-use mold is used made of a material selected in particular from aluminum and card.
- 6. (Currently Amended) A method according to any one of claims 1 to 5 claim 1, characterized in that the trimming of fruit or pieces of fruit is applied automatically by means of a feeder.

First Preliminary Amendment

(Currently Amended) A method according to any one of claims 1 to 6 claim 1, 7. characterized in that the mold is lined with the dough so as to cover the side walls of the mold up to a height lying in the range 1/4th to 2/3rds the height of said walls.

- (Currently Amended) A method according to any one of claims 1 to 7 claim 1, 8. characterized in that the assembly comprising the baked pastry and confectioner's mix together with the trimming in the mold is deep-frozen.
- 9. (Currently Amended) A method according to any one of claims 1 to 7 claim 1, characterized in that the dough and the confectioner's mix are pre-baked so as to reach a level of baking that corresponds to 50% to 85% of complete baking.
- (Original) A method according to claim 9, characterized in that the pre-baking is 10. performed prior to filling with the trimming of fruit or pieces of fruit.
- (Currently Amended) A method according to claim 9 or claim 10, characterized in 11. that the assembly comprising the pre-baked pastry and confectioner's mix together with the optionally-pre-baked fruit trimming is deep-frozen.
- (Original) A fruit pastry in the form of a bar, characterized in that it comprises a 12. pastry tartlet having a rectangular bottom with longitudinal and end margins, a confectioner's mix filling the bottom of the tartlet, and fruit or pieces of fruit held together by a gelled composition forming a trimming covering the tartlet and rising to above the margins thereof, while substantially reproducing the outside rectangular profile of the tartlet.
- (Original) A pastry according to claim 12, characterized in that it is packaged in 13. its single-use baking mold, in particular a mold made of aluminum or card.

Application No. National Phase of PCT/FR2005/000160 Docket No.: 22193-00027-US1

Amendment dated July 26, 2006 First Preliminary Amendment

(Original)A pastry according to claim 13, characterized in that the pastry covers 14.

the side walls of the mold over a height lying in the range 1/4th to 2/3rds the height of said walls,

from the bottom of the mold.

(New) A method according to claim 2, characterized in that a gelling composition 15.

is used that contains brown sugar.

(New) A method according to claim 2, characterized in that a gelling composition 16.

is used that contains a gelling ingredient.

(New) A method according to claim 3, characterized in that a gelling composition 17.

is used that contains a gelling ingredient.

18. (New) A method according to claim 2, characterized in that a single-use mold is

used made of a material selected in particular from aluminum and card.

(New) A method according to claim 3, characterized in that a single-use mold is 19.

used made of a material selected in particular from aluminum and card.

20. (New) A method according to claim 4, characterized in that a single-use mold is

used made of a material selected in particular from aluminum and card.

5